

# Package: geoFKF (via r-universe)

September 7, 2024

**Title** Kriging Method for Spatial Functional Data

**Version** 0.1.0

**Maintainer** Gilberto Sassi <sassi.pereira.gilberto@gmail.com>

**Description** A Kriging method for functional datasets with spatial dependency. This functional Kriging method avoids the need to estimate the trace-variogram, and the curve is estimated by minimizing a quadratic form. The curves in the functional dataset are smoothed using Fourier series. The functional Kriging of this package is a modification of the method proposed by Giraldo (2011) <doi:10.1007/s10651-010-0143-y>.

**Imports** numDeriv, stats, Rcpp

**License** MIT + file LICENSE

**Encoding** UTF-8

**LazyData** true

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.1.1

**URL** <https://github.com/gilberto-sassi/geoFKF>

**BugReports** <https://github.com/gilberto-sassi/geoFKF/issues>

**LinkingTo** Rcpp, RcppArmadillo

**Repository** <https://gilberto-sassi.r-universe.dev>

**RemoteUrl** <https://github.com/gilberto-sassi/geofkf>

**RemoteRef** HEAD

**RemoteSha** 764e567fe367732591b11ffbbab73163231ce665

## Contents

coef_fourier . . . . .	2
datasetCanada . . . . .	2
fourier_b . . . . .	3
geo_fkf . . . . .	3
logLikMultiNorm . . . . .	4
log_lik_rf . . . . .	5

**Index****6**

---

coef_fourier	<i>Computing coefficients Fourier.</i>
--------------	--

---

**Description**

This function computes minimum square estimates for Fourier coefficients.

**Usage**

```
coef_fourier(f, m)
```

**Arguments**

f	A time series to be smoothed.
m	Order of the Fourier polynomial. Default value is computed using the Sturge's rule.

**Value**

A vector with the fourier coefficients.

**Examples**

```
x <- seq(from = -pi, to = pi, by = 0.01)
y <- x^2 + rnorm(length(x), sd = 0.1)
v_coef <- coef_fourier(y)
```

---

datasetCanada	<i>Temperature datasets from Canada.</i>
---------------	--

---

**Description**

Temperature time series from 35 weather stations from Canada. This dataset is a classic one and was used in famous package `fda`. We have made a few changes in this dataset.

**Usage**

```
data("datasetCanada")
```

**Format**

A list with two entries: `m_cood` and `m_data`.

`m_cood` a tibble with latitude, logitude and the name of stations.

`m_data` a tibble where each column is the time series from a weather station.

**Source**

the CanadianWeather dataset from the R package fda.

---

fourier_b	<i>Smoothed curve in Fourier Series.</i>
-----------	--

---

**Description**

This function computes the smoothed curve using Fourier coefficients.

**Usage**

```
fourier_b(coef, x)
```

**Arguments**

coef	Fourier coefficients.
x	a time series to evaluate the smoothed curve.

**Value**

a time series with the smoothed curve.

**Examples**

```
v_coef <- rnorm(23)
fourier_b(v_coef)
```

---

geo_fkf	<i>Kriging method for Spatial Functional Data.</i>
---------	--

---

**Description**

geo\_fkf implements the kriging method for spatial functional datasets.

**Usage**

```
geo_fkf(m_data, m_coord, new_loc, p, t = seq(from = -pi, to = pi, by = 0.01))
```

**Arguments**

m_data	a tibble where each column or variable is data from a station
m_coord	a tibble with two columns: latitude and longitude
new_loc	a tibble with one observation, where the columns or variables are latitude and longitude
p	order in the Fourier Polynomial
t	a time series with values belonging to $[pi, \pi]$ to evaluate the estimate curve

**Value**

a list with three entries: estimates, Theta and cov\_params

**estimates** the estimate curve

**Theta** weights (matrices) of the linear combination

**cov\_params** estimate  $\sigma^2$ ,  $\phi$  and  $\rho$

**Examples**

```
data("datasetCanada")

m_data <- as.matrix(datasetCanada$m_data)
m_coord <- as.matrix(datasetCanada$m_coord[, 1:2])
pos <- sample.int(nrow(m_coord), 1)
log_pos <- !(seq_len(nrow(m_coord)) %in% pos)
new_loc <- m_coord[pos, ]
m_coord <- m_coord[log_pos, ]
m_data <- m_data[, log_pos]

geo_fkf(m_data, m_coord, new_loc)
```

---

logLikMultiNorm	<i>Log likelihood function for multivariate normal with spatial dependency.</i>
-----------------	---

---

**Description**

Log likelihood function for multivariate normal with spatial dependency.

**Arguments**

mCoef	coefficient matrix. Each column is the coefficient from a curve;
mDist	distance matrix;
s2	variance from the covariance model;
phi	variance from the covariance model;
rho	variance from the covariance model;

---

log_lik_rf	<i>Maximum likelihood estimate for <math>\sigma^2</math>, <math>\phi</math> and <math>\rho</math>.</i>
------------	--

---

### Description

This function maximum likelihood estimate for  $\sigma^2$ ,  $\phi$  and  $\rho$  in the random field model for the covariance.

### Usage

```
log_lik_rf(m_coef, m_coord)
```

### Arguments

m_coef	Matrix where each column is an observed vector
m_coord	Matrix where each observation contains the latitude and longitude

### Value

Return a list with

**par** A vector with the estimates of  $\sigma^2$ ,  $\phi$  and  $\rho$ .

**m\_cov** A matrix of covariances of the estimates.

### Examples

```
data("datasetCanada")

m_data <- as.matrix(datasetCanada$m_data)
m_coord <- as.matrix(datasetCanada$m_coord[, 1:2])

p <- ceiling(1 + log2(nrow(m_data)))
m_coef <- sapply(seq_len(nrow(m_coord)), function(i) {
  coef_fourier(m_data[, i], p)
})
log_lik_rf(m_coef, m_coord)
```

# Index

## \* datasets

datasetCanada, 2

coef\_fourier, 2

datasetCanada, 2

fourier\_b, 3

geo\_fkf, 3

log\_lik\_rf, 5

logLikMultiNorm, 4